

NYLON RIBBON WEBBING EAGLE BEAK BUCKLE

426875B

Color
BLACK

426875F

Color
KHAKI

Nylon Ribbon
Webbing Eagle
Beak Buckle
Tactical Strap Loop
And Hoop Hawk
Type Carabiner Key
Chain
Multi-functional
Mountain Buckle

Material:
Metal+Nylon Ribbon
Colors: Black & FDE
Size: 12*2.5 cm
Weight: 60 g



Replacement Sling Hooks
Black & FDE Color available

40TB-HKF

Color
FDE

40TB-HK

Black



MCK 1 POINT SLING

44MCKPBSS

PUSH
SWIVEL
ADAPTOR



LANYARD

56AA07

SWIVEL
MOUNT PUSH
BUTTON



40AM-PL001 40TB-PL01
Full Extension shooting. Tensile Test > 245N.
Features hook and loop belt attachment with
Quick Release Buckle. By Amomax or Tacbull

42ROT402

PUSH SWIVEL
ADAPTOR

SWIVEL SLING SINGLE
POINT ADAPTOR

(w) 4 x 3,2 x 1,5 cm

427411

SWIVEL
AR-15

SLING END PLATE
AMBIDEXTROUS ADAPTOR



A classic ambidextrous sling adapter allowing one to rapidly switch weapon from one shoulder to the other. Works for any single-point sling with snap-hook, and fits rifle or carbine with an M4-type collapsible buttstock. AR-15/M16 ASAP Sling Adapter

56AA01

END PLATE
ADAPTOR SWIVEL



56AA02

DUAL LOOP
END PLATE
ADAPTOR SWIVEL



56AA03AR16

END PLATE STEEL SWIVEL
ADAPTOR



56AA03

56AA04

Mount Swivel Stud
03. M-LOCK | 04. KeyMOD

56AA05

REINFORCED
KEYMOD MOUNT
Swivel Stud



IMAGE REFERENCE IN #Nº

QD = Quick Detach/Release

w. Base = With Base // w/o Base = With Out Base

BDL vs ADL = type of stock / floorplate.

PA = 1" loop (standard sling width).

PB = 1¼" loop (wider military/field sling).

**Unique QD design — prevents metal contact
with firearm • Smooth • Silent Operation**

#Nº	LOOP SIZE	Mount Base Info Model TUBE Diameters / Descriptions compatibility general or w/wood screw machine screw & nut			
NON-QD Swivel Sets Sling Mounting Kit for Rifle					
1.	1"	56SS02PA	w. base		
	1 ¼"	56SS02PB			
TACTICAL QD Sling Swivel		- 03PA/PB Push Button Attachment Adaptor - 04PA/PB Push Button Detachable Swivel w/Base			
2.	1"	56SS03PA	w/o base	56SS04PA	w. base
	1 ¼"	56SS03PB		56SS04PB	
HEAVY DUTY QD Swivel Sling Mount			SS05PB: Heavy Duty Button Detachable Swivel SS06PB: Heavy Duty Push Button Detachable Swivel with Base		
3.	1"	56SS05PA	w/o base Electrophoresis	56SS06PA	w. base Electrophoresis
	1 ¼"	56SS05PB		56SS06PB	
CLASSIC QD Swivel Set - 115 RGS (Bolt Action Rifles)					
4.	1"	56SS07PA	swivel only	56SS16PA	w/wood screw machine screw & nut
	1 ¼"	56SS07PB		56SS16PB	
MODIFIED QD Swivel Set					
5.	1"	56SS08SPA	swivel only	Swivel with Mount for 11mm Rail or Picatinny Rail	
	1 ¼"	56SS08SPB			
MIL-SPEC QD Swivel Set with Locking Screw Nuts					
6.	1"	56SS12PA	swivel only	56SS14PA	w/wood screw machine screw & nut
	1 ¼"	56SS12PB			
		11mm RAIL MOUNT		PICATINNY RAIL	
7.	1"	56SS18SA	Electrophoresis	56SS19SSAM	Phosphating
	1 ¼"	56SS18SB		56SS19SBM	
	1 ½"			56SS19SCM	
RUGER CARBINE - SS21P series - AUTO SINGLE-SHOT				Fore-end adapter fits barrel band of 10/22, .44 Mag. and Nº 3 carbines. ½" wood screw for fore-end stock mounting. Spring-loaded plunger + knurled threaded sleeve locks swivel closed to eliminate accidental release	
8.	1"	56SS21PA			
	1 ¼"	56SS21PB			
MAGNUM BAND - QD Marlin .357 / Model 1894C Carbine Split Band Sling Swivel (Blued) - 1" Loop					
9.	Dia. Tube::	.420~.470	.540~.590		.630~.675
	1"	56SS22PB	56SS23PA		56SS24PA
	1 ¼"	56SS22PB	56SS23PB		56SS24PB
FULL BAND Sling Swivel — Fits .22 & Lever-Action Tubes (.430-.445" / .645-.660")					
10.	1"	56SS25PA	.430-.445" .22 Tube	56SS26PA	Lever Action .645-.660" (Winchester® 94 / Marlin®)
	1 ¼"	56SS25PB		56SS26PB	

w. Base = With Base // w/o Base = With Out Base

#Nº	LOOP SIZE	Mount Base Info Model TUBE Diameters / Descriptions compatibility general or w/wood scream machine screw & nut				
11.	1"	56SS27PA	FULL BAND REMINGTON 760 & 7600 (1969 to Present)			
	1 ¼"	56SS27PB				
12.	1"	56SS28PA	FULL BAND REMINGTON 760 & 7600 (1968 & Older)			
	1 ¼"	56SS28PB				
REMINGTON .742 semi-auto rifle		- ADL: Base / Standard model — no hinged floorplate; unload by cycling the bolt. - BDL: Upgraded model — hinged floorplate (magazine opens from bottom)				
13	1"	56SS29PA	BDL	56SS30PA	ADL	
	1 ¼"	56SS29PB	BDL	56SS30PB	ADL	
REMINGTON 7400 & Four Auto Loaders [standard screw in type]						
14.	1"	56SS31PA	1-¼"	56SS31PA		
Most PUMPS & AUTOS		*NOT for Ithaca 37, Savage 30, Sears 21 or 30, Stevens pumps, Winchester 1400, or ANY firearm with gas-operated recoil				
15.	general use sling webbing		loop for wider sling			
	1"	56SS32PA	1 ¼"	56SS32PB		
MAGNUM (SS33P-SS37P) Regular Band Single & Over Unders				PA = 1" loop (standard sling width). PB = 1¼" loop (wider military/field sling).		
Tube Diameter / Compatibility ADDITIONAL INFORMATION @IMAGE SECTION						
	.850~900"	.800~.850"	.750~800"	.700~750"	.775~.825"	
16.	56SS33PA	56SS34PA	56SS35PA	56SS36PA	56SS37PA	
	56SS33PA	56SS34PB	56SS35PB	56SS36PB	56SS37PB	
CAP SET MOSS 835 12GA						
17.	1"	56SS38PA	1-¼"	56SS38PB		
CAP SET MOSS 500 12GA			CAP SET REMINGTON 870 & 870 Youth			
18.	1"	56SS39PA	1 ¼"	56SS340PB	20.	
CAP SET REMINGTON 870 Express						
20.	1"	56SS42PA	12GA			
	1 ¼"	56SS42PB				
CAP SET REMINGTON 1100			1187	Winchester 1200/1300	1100 20GA	
19 & 20.	1"	56SS44PA	SS46PA	SS47PA	56SS45PA 56SS45PB	20GA
	1 ¼"	56SS44PB	SS46PB	SS47PB		
CAP SET BROWNING BPS or Gold						
21.	1"	56SS48PA	BPS	1 ¼"	56SS48PB	BPS
		56SS49PA	Gold		56SS49PB	Gold
Swivel with Mount for Handguard						
22	w/o Base		M-LOCK			
	1"	56SS50SAM	1"	56SS51SAM	PHOSPHATING	
			1 ¼"	56SS52SBM		
	1-13/20"	56SS50SDM	1-13/20"	56SS50SDM		



1.



2.



3.



4.



5. High strength steel black



6.



7. 56SS19SBM



8.



9.

Fore-end adapter fits 10/22, .44 Mag., N93 carbines. Swivel lock: spring-loaded plunger & knurled threaded sleeve prevents accidental opening.



10.

Full-band sling swivel engineered to clamp around the barrel tube for a secure sling attachment on tube-style rifles. Two fits: standard .22 tube (.430-.445) for most .22 rifles (excludes some Winchester® models), and larger lever-action fit (.645-.660) specifically for Winchester® 94 and compatible Marlin® centerfire lever actions. Robust construction resists rotation and provides a stable mounting point for slings and swivels.



11.



12.



13.



14.



15.



16.

Model/Series	Band Type	Tube Dia.	Firearm Example
56SS37PA/B	Regular Band	.775-.825"	Winchester 101/201 12GA Over/Under
56SS33P-SS37P	Magnum Band	≈ .800-.850" typical	General 12-GA Single & Over/Unders

NOTES

56SS37PA/B :: This is a standard (non-magnum) band made to match the slightly smaller tube diameter of those Win O/U barrels.

56SS33P-SS37P :: Heavier-duty band, fits thicker magnum barrels; same basic design, stronger split clamp.

56SS38

17.

56SS39

18.

56SS47

19.

20.

56SS40
56SS42
56SS44
56SS45
56SS46
56SS49

SS48P

21.

Cap Set, Winchester 1200/1300

56SS51

22.

56SS50



BIPOD Adaptors

56BAP01

Keymod to
Swivel Stud



56BAP02

Weaver/Picatinny to Butt Stud



56BAP03

11mm DOVE TAIL RAIL

56BAP04

11mm DOVE
TAIL RAIL
to Butt Stud



Mount on 11mm rail with swivel stud, as connection adapter for swivels or bipod. Machined out of 6061-T6 premium aluminum and anodized in black matte.

Wood Forend to Butt Stud

56BAP05

UNIVERSAL
adaptor to
mount on

Wood forend/stock that for mounting of Harris style bipods as well as for easy attachment of sling with swivels.



BUTT STUD to Picatinny

56BAP06

Converts
swivel stud to
Picatinny rail –

– fits Harris-style and
Picatinny bipods.



56BAP07

BUTT STUD TO
PICATINNY



56BAP08

Weaver/Picatinny
to Butt Stud,
with QD Lock



56BAP10

M-Lok to
Butt Stud





BIPOD Adaptors




56BAP09

360 degree rotation



56BAP11



**UNIVERSAL
M-LOK/
Keymod
to Butt Stud**

Rotation Mount

56BAP12

BUTT STUD TO
PICATINNY



56BAP13

Rotational
Mount
for Harris
Bipod



NICKEL
PLATED



Nickel Plated

56SSET01S

WOODS SCREW
SET

NICKEL
PLATED



56SSET03S

WOODS & MACHINE
SCREW WITH NUT

56PBSB01

**SINGLE PUSH BUTTON
SWIVEL BASE**



FITS **STANDARD**
PUSH BUTTON SWIVELS



- ◆ Made of high strength steel
- ◆ Mount to wood stock with wood screws
- ◆ Fits standard push-button swivels

BLACK
PLATED



56SSET01B

WOODS SCREW
SET

BLACK
PLATED



56SSET02B

WOODS & MACHINE
SCREW WITH NUT

BLACK
PLATED



56SSET03B

WOODS & MACHINE
SCREW WITH NUT

56BPT0811M

M-LOK Bipod MONO SLIDE

HEIGHT
8.5"



Mount: M-LOK
Operation: Press button to extend
Height: 8.5" (retracted)
→ 11.4" (extended)
Weight: 272.8g

MLOK



PICATINNY



Carbon Fibre

56BPV0811M

SIZE
8.3-11.5" **NOTCH**
MOUNT: MLOK

MONO SLIDE

Legs:
One-section carbon leg
Operation:
Auto-lock; press to retract



56BPW0811M

MOUNT: MLOK **LITE**

MONO SLIDE

Legs: Two-section carbon leg
Operation: Loosen Locking Wheel to retract/push back

SIZE
8.3-11.5"


PICATINNY BIPOD Carbon Fibre

56BPV0811P

SIZE
8.3-11.5" **NOTCH**

MOUNT: PICATINNY

Legs: Two-section carbon leg
Operation: Loosen locking wheel to retract/push back



56BPW0811P

SIZE
8.3-11.5" **LITE**

MOUNT: PICATINNY

Legs: Two-section carbon leg
Operation: Twist locking wheel to lock, loosen to retract/push back

PICATINNY BIPOD Carbon Fibre



4286136

6" inch FLYING BIPOD



Material: Aluminum + Nylon

Weight: 500g

Length: 150mm

Size: 150 × 100 × 80 mm


Mount: Quick-release 20mm Picatinny rail

Features:

Butterfly foldable bracket
Full pan & tilt CNC-machined legs and body
Legs fold forward/back independently
Posi-lock adjustable legs
Shock-resistant design
Compact folding for easy carry

PRESS THE SWITCH TO EJECT

THE FOOT BAR CAN BE ADJUSTED FOR 5 TIMES





BIPODS BLP Series

Carbon Fibre Tilt Lever 360° Rotatable Pivot Bipod



56BPL0609

SIZE
6-9"

56BPL0913

SIZE
9-13"

◆ 360° pivot and side-tilt for flexible, precise shooting on uneven terrain

◆ Secure locking system holds your chosen angle firmly

◆ Button-activated, spring-loaded legs deploy instantly ◆ Multi-section leg extensions allow quick height adjustments

◆ Foldable legs for compact transport

◆ Rubberized feet provide strong, stable grip



The BPL series 360 degree super flexible shooting bipods

provide stable shooting support with clamp mount for easy attachment to firearms with Picatinny/Weaver style forend.

BPC series	→ Harris Style Swivel Stud / BPC0813 also Harris / Picatinny compatible. Spring-loaded legs, anodized finish
BPR series	→ Rotating / Pivot bipods, heights 6-21". Rotation: 60° pivot, Tilt: YES, press-button legs, swivel stud mount
BPS series	→ Fixed rotation, press-button legs, heights 6-21", swivel stud mount
BPD / BPG	→ Picatinny Rail variants (short/compact, fixed rotation, tilting legs)
BPD	→ short bipods, 6.1-12.6" extended
BPG	→ compact bipods, 6.2-10.6" extended, barrel twist lock

TILT [YES] to all specified models below

PAGE 1 of 2

image #	SKU	Rotation	Extension Method	Lock Type	Mount Lock	Retracted (in)	Extended (in)	Weight (g)
Harris Style Swivel Stud								
1	56BPC0608	60°	Press Button	Pivot Locking	Screw Nut	5.9	7.3	310
2	56BPC0813		Pull			8.1	12.5	360
3	56BPR0913		Press Button			9	13	462.5
	56BPR1321					13	21	517
4	56BPS0609	Fixed	Press Button	Tilt Locking		6	9	392.9
5	56BPS0913					9	13	448.9
Picatinny / Butt Stud Adapter								
6	56BPG0607	Fixed	Pull & Twist	Barrel Twist Lock	Clamp + Adapter	6.2	6.7	230
	56BPG0911					8.8	10.6	305
Picatinny Rail								
7	56BPN0609	360°	Press Button	Rotation Lock	QD Lever	6	9	478.3
8	56BPN0913					9	13	513



Classic BPCbipod, round column foldable legs, spring-loaded, rubber feet, anodized finish, clamp and butt stud compatible



1.
56BPC0608



2.
56BPC0813

Dual-compatible BPC bipod, round column foldable legs, spring-loaded, rubber feet, anodized finish, clamp and butt stud compatible



3.
56BPR0913
56BPR1321

Rotating / Pivot bipod, 60° total rotation, tilting legs, spring-return, padded base, anodized finish, lightweight 6061-T6 aluminum

5.
56BPS0913

Fixed rotation bipod, tilting legs for uneven terrain, spring-return, padded base, anodized finish, lightweight 6061-T6 aluminum



4.
56BPS0609

Fixed rotation bipod, tilting legs for uneven terrain, spring-return, padded base, anodized finish, lightweight 6061-T6 aluminum



8.
56BPN0913

360° rotatable pivot bipod, tilting legs, QD lever for fast attachment/detachment, spring-return, extendable, rubber feet, anodized 6061-T6 aluminum



7.
56BPN0609

6.
56BPG0607
56BPG0911

Compact Picatinny/Weaver bipod, foldable legs, spring-locking knob, extendable, rubber feet, anodized 6061-T6 aluminum



59BCTF100 TF-100 & 300 59BCTF300

CAMERA TRIPOD



TRIFORCE CAMERA OPTIC SUPPORT


Built with three snap-locking leg sections, the tripod sets up quickly and securely on uneven ground. Two integrated bubble levels ensure perfect alignment, while the extendable center column adds extra height when needed. The included quick-release plate allows fast equipment changes without interrupting your workflow.



Load Capacity
6.6 lb / 3 kg
Maximum Working Height
62.6" / 159.0 cm
Closed Length
25.8" / 65.3 cm
Weight: 1.6 kg

Supports up to 5.5 lbs
Max height: 20.7"

- KEY FEATURES:-
- 3-way fluid pan/tilt head (360° rotation / 165° tilt)
- Quick-release mounting plate
- Three snap-locking leg sections
- Extendable center column with locking collar
- Dual bubble levels for precise leveling



Mounting SYSTEM




G03 PLATFORMS:-
|.223 AR-15/M4

S-SLIM Super Slim Keymod / M-Lok Handguards

A precision-engineered free-float handguard series fully CNC-machined from aircraft-grade **6061-T6 Aluminium**. Available in KeyMod [G03K] or M-Lok [G03M] configurations, featuring a full-length Picatinny top rail and side/bottom mounting slots. The free-float construction attaches directly to the receiver for improved accuracy and superior rigidity.

Key Features

- ▶ Fits .223 AR-15 / M4 platforms | includes rugged steel barrel nut
- ▶ Picatinny top rail + KeyMod / M-Lok slots on sides & bottom
- ▶ KeyMod models feature internal callouts for firm accessory fit
- ▶ Ultralight precision CNC 6061-T6 aluminium
- ▶ Ventilation cutouts for cooling & reduced weight



# image	ITEM#	Length (cm)	Length (in)	Weight (g)
1	56G03M12	30.5	12"	294 g
2	56G03M12-TN			
3	56G03M15	38.1	15"	340.8 g
4	56G03M15-TN			

TN = Tan Colour



G05M PLATFORMS:-
| Standard AR-15 Models

HD-223 Heavy Duty M-Lok Handguards

The G05M Heavy-Duty tactical M-Lok handguards are crafted entirely from CNC-machined **6061-T6 aluminium**, anodized matte black for enhanced durability. A free-float design ensures the handguard never contacts the barrel, improving consistency and precision.


Key Features

- ▶ Fits all standard AR-15 models
- ▶ Includes rugged steel barrel nut
- ▶ Picatinny top rail + M-Lok slots on sides & bottom
- ▶ Heavy-duty 6061-T6 construction
- ▶ Integrated push-button sling swivel slot
- ▶ Ventilated cutouts for cooling & weight reduction

ITEM#	Length (cm)	Length (in)	Weight (g)
56G05M7	19	7	—
56G05M11	25.6	11	269
56G05M12	28.2	12	288
56G05M15	38.1	15	293



Mounting SYSTEM



■ G08M

PLATFORMS:-

| Standard AR-15 Models

M-CRUX M-Lok Handguards with Quad-Rail

G08M15

The M-CRUX G08M

Series is a slim yet extremely durable free-float handguard with integrated one-piece quad-rails at the muzzle end — CNC-cut from solid aluminium bar-stock. MIL-SPEC Type III Hard-Anodized for long-life performance and designed for maximum accessory flexibility.

ITEM#	Length (cm)	Length (in)	Weight (g)
56G08M15	38.5	15.2	398

- ▶ Fits standard AR-15 platforms
- ▶ Solid push-button swivel base
- ▶ Integrated one-piece quad-rails
- ▶ Picatinny top rail + M-Lok sides & bottom
- ▶ Fully CNC-machined 6061-T6 with MIL-SPEC HARD-ANODIZATION
- ▶ Ventilation channels for cooling & weight reduction

■ G10M

PLATFORMS:-

| Standard AR-15

M-LITE Carbon Fiber M-Lok Handguards

A revolutionary lightweight free-float handguard constructed from Tacband's proprietary Carbon Fiber Composite, delivering exceptional strength-to-weight performance. One-piece moulded carbon fiber body with integrated metal components for rugged reliability.



ITEM#	Length (cm)	Length (in)	Weight (g)
56G08M15	38.5	15.2	398

- ▶ Fits standard AR-15 platforms
- ▶ Constructed from high-performance Carbon Fiber Composite
- ▶ Ultra-light yet extremely strong
- ▶ One-piece moulded body
- ▶ Free-float system with clamp screws for fast installation
- ▶ Built-in push-button sling swivel
- ▶ Picatinny top rail + M-Lok sides & bottom
- ▶ Field-tested to survive 10m drop tests with accessories attached



■ G19M

PLATFORMS:-

| Standard AR-15 / AR-16 / M4

Standard M-Lok Handguard Series

MLOK HAND GAURD SERIES

MODEL

SIZE

A rugged, free-float M-Lok-ready rail system designed for AR-15 / AR-16 / M4 platforms.

56G19M11BK

11"

56G19M15BK

15"


56G19M135BK

13.5"

56G19M17BK

17"


- ▶ Fits .223 AR15/AR16/M4
- ▶ Includes rugged steel barrel nut
- ▶ Picatinny top rail + M-Lok sides & bottom
- ▶ CNC-machined 6061-T6 aluminium construction
- ▶ Tactical free-float design





PLATFORMS:-
Standard AR-15 / M4

Clamp-On Free-Float M-Lok Handguard



Mounting SYSTEM




MLOK HAND GAURD

MODEL

SIZE

56G20M135BK	- 13.5"
56G20M15BK	- 15"
56G20M135TN	- 13.5" Tan
56G20M15TN	- 15" Tan

Available in 4 Sizes



56G20M135BK BLACK	inches 13.5"	345mm	56G20M15BK BLACK	inches 15"	380mm
56G20M135TN TAN	inches 13.5"		56G20M15TN TAN	inches 15"	



PLATFORMS:-
.308 AR10


S-SLIM Super Slim M-Lok Handguards
(AR-10 / .308)

Designed for .308 AR-10 models, offering a longer, thicker profile compared to AR-15 variants. Free-float, precision CNC-machined for enhanced stability.

- Fits .308 AR10 platforms
- Includes rugged steel barrel nut

• 305mm	inches	• 385mm	inches	• 430mm	inches
56G21M12BK BLACK	12"	56G21M15BK BLACK	15"	56G21M17BK TAN	17"


- Picatinny top rail + M-Lok sides & bottom
- 6061-T6 aircraft-grade aluminium



G24M PLATFORMS:-
.308 AR10

ALUMINUM HANDGUARD | Free Float

- Steel barrel nut for firm and reliable attachment
- 6061-T6 aircraft-grade aluminium




• 305mm	inches	• 385mm	inches
56G24M115BK BLACK	11.5"	56G24M150BK BLACK	15"

Available in 2 Sizes



MLOK HAND GAURD

A compact, lightweight drop-in M-Lok handguard built for maximum compatibility across AK47 platforms.



■ G18AKM PLATFORMS:- | AK47 (RU & US) Drop-In M-Lok Handguard (AK47 / RU & US)

- Fits US & RU pattern AK47
- CNC-machined 6061 aluminium
- MIL-SPEC hard-coat anodized matte black
- Picatinny top rail with grenade-sight cut-out
- M-Lok slots on sides & bottom
- Lightweight + compact

DUST COVERS Mounting Bases | TACBAND Precision Series

AK47 TACBAND's line of mounting bases provides exceptional precision, secure fitment, and flexible compatibility with a wide range of firearm platforms. Engineered for accuracy and durability, each Picatinny rail and mounting interface is expertly machined to ensure a rock-solid foundation for scopes, optics, and tactical accessories.

14 SLOT AK



AK47

■ 414T

56PR0414T

Tri-Rail Mount Base

- 14-slot Picatinny scope mount base for AK47 platforms
- Dual 10-slot Picatinny side rails (left & right) for accessory mounting
- Includes top receiver dust cover
- Ideal for optics + dual-side accessory configurations
- Precision-machined for stability and alignment

■ 414M

56PR0414M

Top-Rail Mount Base

- 14-slot Picatinny top rail scope mount base
- Integrated top receiver dust cover for AK47 platforms
- Streamlined, single-rail design suitable for optics or red dots
- Lightweight, rigid construction
- Designed for secure mounting and repeatable zero



HANDGUARD RAIL

1.

HR02M

Table on next page..

- Mil-STD Picatinny rail for M-Lok / KeyMod handguards
- Optimized low-profile design for attaching accessories
- CNC-machined 6061-T6 aircraft-grade aluminum
- Rugged black matte anodized finish
- Available in 5, 7, 11 & 13 slots



56HR02M5

56HR02M7

56HR02M9

56HR02M11

56HR02M13



ITEM#	Slots	Description	Length
HR02M Series — M-LOK HANDGUARD RAIL SECTIONS			
56HR02M5	5	1.  image on prior page M-Lok Picatinny Rail Section	2.1"
56HR02M7	7		2.9"
56HR02M9	9		3.7"
56HR02M11	11		4.5"
56HR02M13	13		5.3"
2. HR03U Series — UNIVERSAL (M-Lok + KeyMod)			
56HR03U5	5	Universal M-Lok / KeyMod Rail	2.1"
HR01K Series — KEYMOD HANDGUARD RAIL SECTIONS			
56HR01K5	5	3.  KeyMod Picatinny Rail Section	2.1"
56HR01K7	7		2.9"
56HR01K11	11		4.5"
56HR01K13	13		5.3"
PR Series — PICATINNY RAIL MOUNT BASES			
56PR0122	4. 22	Universal Picatinny Rail	9"
56PR0211	5. 11	Ruger 10/22	4.5"
56PR0213	6. 13	Mossberg 500/590	5.3"

2.

HR03U

Universal Rail Section

- ▶ Special design fits both M-Lok and KeyMod handguards
- ▶ Chamfered edges for smooth, secure accessory attachment



3.



56HR01K5 56HR01K7 56HR01K11 56HR01K13
Keymod Handguard



4.

56PR0122

5.

56PR0211

6.

56HR0213



AK47

HAND GUARD RAIL

The **RS47-SET** Hand Guard is fully-featured for AK forearm for **AK rifles**. Throws away the original AK forearm and offers a developed alternative for the modern shooting methods, a Polymer case for high density and heat resistance, and provides a rigid lightweight platform to mount accessories on four Picatinny rails.

CODE

COLOR:-

44MCKRS47SET

BLACK

44MCKRS47-SETTAN

FDE

01



*Black

02



*FDE

- Extended two full length upper and lower Picatinny rails providing excellent mounting positions for optics, bipods, and grips
- Includes two removable 3" side rails for mounting light and laser devices
- Skeletonized design with reduced weight and improves cooling
- Constructed of high density polymer for strength and heat resistance
- Compatible with most AK style rifles

56ABH04

SHOTGUN Rail Mount with Side Saddles

- For holding of 6 shots of 12GA cartridges
- Comes with top picatinny rail



Steady Recoil reduced rest

56SST08

Color
KHAKI

SPECIFICATIONS

- » Strong, Stable Vompact Construction
- » Tipod legs with steel ground spikes for firm hold
- » Adjustable height via foot spikes and centre shaft
- » Padded rest cushion for secure, recoild-steady gun support



PORTAREST Shooting Rest

PORTABLE
COMPACT



56SST02

Color
BLACK

SPECIFICATIONS

- » Adjustable height from 6.3" to 13.4" with rotatable filled cushion
- » Compact, foldable tripod for easy transport
- » Cushion size: 2.8" x 5.9" x 2.8"
- » Tripod size: 8.7" x 3.1" x 3.1" (collapsed height: 6.3")
- » Lightweight at only 1.1 lbs
- » Durable aluminum alloy construction for steady shooting support
- » Quick setup and smooth target acquisition with rotatable cushion



56SST006

Color
BLACK

Durable, water-resistant
600 Denier polyester
Front Bag: 10" x 8" x 6"
Rear Bag: 5" x 5" x 4"



56SST007

Color
ORANGE

Designed for hunters and shooters seeking a versatile, steady shooting system. Functional and easy to set up almost anywhere. Supplied without Fill/Sand.
Features: Inexpensive yet highly functional, Industrial-standard quality and durability



Shooting Bench
56SST01 Color **BLACK**

Steady Gun Rest
Shooting Rest for
Accurate Aim for
Rifle/Shotgun

- » Front rest bag is filled for enhanced shock absorption
- » Made from rugged nylon/leather materials

Shooting Rest Steady
Recoil-Reduced Rest.

- » Designed to eliminate strong recoil, ideal for range use
- » Front cushion is resilient as well as soft
- » Convenient elevation adjustment from the shooting position (fingertip control)
- » Solid construction paired with a soft front cushion and rear cradle for balanced support



56SST09 Color **KHAKI**

Model	 56SST01	 56SST09 RecoVan
Color	Black	Khaki
Type	Shooting Bench / Shooting Rest	Recoil-Reducing Shooting Rest
Construction	Heavy-duty steel frame	Solid, reinforced metal structure
Front Support	Filled nylon/leather front rest bag	Soft, elastic non-scratch cushion
Rear Support	Rear pad for recoil reduction	Rear cradle for recoil control & protection
Height Adjustment	Height-adjustable base + micro-adjustment lever arm	Large elevation wheel for quick fingertip adjustment
Extra Features	Stable bench-style rest	Weight tray for sandbags to increase steadiness
Dimensions	62cm (L) × 31.5cm (W)	—
Weight	3.15kg	—
Ideal Use	Precision shooting, sighting rifles/shotguns	High-recoil calibres, range shooting with added stability

Feature	■ ST073	■ BP059
Type	Monopod-style hunting stick	More stable multi-leg shooting stick (balanced design)
Height Range	93-190cm (extendable legs)	Adjustable (multi-leg) designed for uneven terrain
Weight	1110g	Lightweight, portable construction
Rotation	360° rotating V-yoke for easy tracking	Stable rest for rifle or spotting scope
Best Use	Quick setup, mobile hunting, fast target tracking	Longer waits, windy conditions, enhanced accuracy
Terrain	General flat/open land	Uneven terrain, harsher outdoor conditions



56HST073



56SSPBP059




SIDE VIEW
Back View
Top View

56TAP02
M-LOK MOUNT


MILITARY

ITEM	Dimension (mm)	Weight
56AB01-L	330x185x226	3.5 kg
56AB01-M	305x155x190	2.7 kg
56AB01-S	280x96.5x185	2 kg

Originally built to carry .50 cal machine-gun rounds, this rugged steel Ammo Can now provides reliable waterproof and dustproof storage for 5.56mm, 12-ga shells and more. Military-tested and ready for reuse.

- » Durable steel construction
- » Rubber O-ring sealed for dust & moisture protection
- » Swing-up handle for easy carry
- » Secure front latch
- » Fits 7 boxes of 2¾" 12-ga shells
- » Supplied in used condition (may show scratches, dents, or surface rust)


56AB02-L
56AB02-M
56AB01-S

AMMUNITION BOX

428305

Box Size:
(L) 27 X (w)9.5 X
(H) 17,5 cm
Single gross
weight: 0.100 kg


PLASTIC

56AB03-M

56AB02