



KWC®
SINCE 1978



ARTEMIS®
AIRGUN AND ACCESSORIES

Daisy®



WINCHESTER
AIR RIFLES



Killer PTY (LTD)
BRANDS™

PISTOLS SECTION by Killer Brands



Blowback



Adjustable Rear Sight



Ambidextrous Safety



Air-Gun

CO₂

STEEL BB 4.5mm (.177") 4.5

High Grade Blowback CO2 Pistol

- » 1:1 SCALE | OPERATED BY 12G CO2 CARTRIDGE
- » ADJUSTABLE HOP UP SYSTEM | REAL GUN DISSEMBLY PROCESS | OPERATION INCLUDING EJECTION PORT AND HOLD OPEN

RECOIL	BlowBack	LENGTH	255 mm	VELOCITY	135 m/s Max	BB CAPACITY	24 rds.
WEIGHT	1275g	ENERGY	2.0 Joule Max	MATERIAL	FULL METAL	MAGAZINE	AAKCCM740AZQ

SNIPER
BERETTA

60PSB92

CO₂

STEEL BB 4.5mm (.177") 4.5

KWC



Air-Gun



High Grade Blowback CO2 Pistol

- 1:1 SCALE | OPERATED BY 12G CO2 CARTRIDGE | SEMI AUTO/FULL AUTO | ADJUSTABLE HOP UP SYSTEM | REAL GUN DISSEMBLY PROCESS. OPERATION INCLUDING EJECTION PORT AND HOLD OPEN | WEAVER RAIL COMPATIBLE FOR STANDARD FLASHLIGHT AND LASER

VELOCITY	104 m/s Max	BB CAPACITY	19 rds.
MATERIAL	FULL METAL	MAGAZINE	AAKCMM150AZQ

RECOIL	BlowBack	LENGTH	215 mm
WEIGHT	1100g	ENERGY	1.9 Joule Max



Blowback



Double Action and



Semi Auto and Full auto



M712 BroomHandle

FULL FUNCTION BLOWBACK

★ **60PSMAU**

STEEL BB
4.5mm (.177") **4.5**



Real-gun
disassembly
process &
operation incl.
injection port
& hold open



RECOIL	BlowBack
WEIGHT	900g
LENGTH	296 mm
ENERGY	1.7 Joule Max

MATERIAL	FULL METAL
BB CAPACITY	19 rds.
MAGAZINE	KW-129



941 *jerico*
JERICO

Safety



⊕ Metal Slide

CO₂

★ **60PSJ941**

STEEL BB
4.5mm (.177") **4.5**

Anti Skid Grip



Magazine Release	
RECOIL	NON BlowBack
WEIGHT	800g
VELOCITY	120 m/s Max
MATERIAL	METAL SLIDE

LENGTH	205 mm
ENERGY	2.5 Joule Max
BB CAPACITY	21 rds.
MAGAZINE	AAKCMS43



Available in

- ☒ Non-Blowback
- ☒ or Blowback

KWC® SINCE 1979



Rear Sight Cover



Anti Skid Grip

- » Classic Collector's Replica
- » High grade CO2 blowback or non-blowback
- » Full Function Blowback or Non-Blowback
- » Compact Pistol
- » Real gun disassembly process.
- » Semi Auto • Adjustable Hop-up system
- » Operated by 12g CO2 cartridge

MAGAZINE
AAKCMS44

CODE	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY
60PSMPM	Non-Blowback	800 g	160 mm	2.9 Joule Max	130 m/s Max	FULL METAL	18 rds.
60PSMPMB	Blowback				92 m/s		15 rds
60PSMPMP	Non-Blowback	780g			128 m/s Max	PLASTIC SLIDE	18 rds.

PLASTIC SLIDE | Non-Blowback

FULL METAL | Blowback



CO₂

STEEL BB 4.5mm (.177") 4.5



Available in: **ABS Slide or Metal Slide**



KWC®



ABS Plastic Slide



TAURUS



Metal Slide



1. "picatinny" Tactical rail for flashlight or laser **not incl.*

2. Rubber Grip

☒ **ABS SLIDE**
☒ **60PSG17**

ABS SLIDE

☒ **METAL SLIDE**
☒ **60PSG17SS**

METAL SLIDE



RECOIL	MATERIAL	WEIGHT	LENGTH	ENERGY	VELOCITY	BB CAPACITY	MAGAZINE
Non-Blowback	ABS Slide	565 g	180 mm	2.9 Joule Max	130 m/s Max	21 rds.	AAKCMS46

RECOIL	MATERIAL	WEIGHT	LENGTH	ENERGY	VELOCITY	BB CAPACITY	MAGAZINE
Non-Blowback	Metal Slide	565 g	180 mm	2.9 Joule Max	130 m/s Max	21 rds.	AAKCMS46

- 1:1 Scale. Operated 12g CO2 Cartridge.
- Efficient CO2 Shooting System.
- Weaver rail compatible with standard flashlight or laser. Rubber grip.

SIGSAUER SP2022



★ **60PSS2022**

☑ ABS SLIDE

★ **60PSS2022M**

☑ METAL SLIDE

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system
- Weaver rail compatible with standard flashlight & laser

KWC®



RECOIL	MATERIAL	WEIGHT	LENGTH	ENERGY	VELOCITY	BB CAPACITY	MAGAZINE
Non-Blowback	ABS Slide	760 g	190 mm	2.5 Joule Max	120 m/s Max	21 rds.	AAKCMS47
	Metal Slide	800 g					

M40



Scalloped Slide Serrations



Single Action



Adjustable Hop Up



Tactical Rail



★ **60PSSM40**

☑ ABS SLIDE

★ **60PSSM40M**

☑ METAL SLIDE

STEEL BB 4.5mm (.177")

CO2

KWC®

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system
- Weaver rail compatible with standard flashlight & laser
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



RECOIL	MATERIAL	WEIGHT	LENGTH	ENERGY	VELOCITY	BB CAPACITY	MAGAZINE
Non-Blowback	ABS Slide	515 g	193 mm	2.5 Joule Max	120 m/s Max	19 rds.	AAKCMS48
	Metal Slide	710 g					



60PSTOKM

RECOIL	NON BlowBack	VELOCITY	120 m/s Max
WEIGHT	1100g	MATERIAL	METAL SLIDE
LENGTH	194 mm	BB CAPACITY	19 rds.
ENERGY	2.5 Joule Max	MAGAZINE	KW-131

Trigger Pull: Strictly single action only. | Recessed Barrel
One of the Few Replicas of the Tokarev's
Full Size Drop out metal magazine that holds CO2 & BB's

Build Quality:
Metal construction.
Solid with ABS grips.

POWERLINE 5501

DAISY POWERLINE 5501 CO2 SEMI AUTOMATIC



HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision



STEEL BB 4.5
4.5mm (.177")

CO2

- Max Shooting Dist. 209 yds (191m)
- Sights..... Blade and ramp front
open rear
- Stock/forearm/grip..... Metal Frame with
Molded Grips
- Barrel..... Smooth bore steel
- Safety..... Trigger block manual

CODE	RECOIL	WEIGHT	LENGTH	VELOCITY	BB CAPACITY
60PD5501-503	Blowback	750g	170mm	430 Fps	15 rds.

POWERLINE[®] 426 AIRGUN

DAISY POWERLINE 426

CO₂ SEMI AUTOMATIC



- > **Max Shooting Dist.** 325yds (215m)
- > **Stock / Forearm / Grip**.... Molded Black Grip
- > **Safety**..... Manual trigger block
- > **Barrel** Smooth bore barrel

CODE	RECOIL	WEIGHT	LENGTH	VELOCITY	BB CAPACITY
60PD0426-442	Non-Blowback	408g	173mm	500 Fps	15 rds.



DAISY POWERLINE 340

13 Shot Speedload Clip Capacity



AIRGUN



SPRING AIR POWERED

- > **Max Shooting Dist.** 100yds (91.4m)
- > **Barrel** Smooth bore steel
- > **Sights** Blade and ramp front
Fixed open rear
- > **Safety** Crossbolt trigger block
- > **Capacity** BB Reservoir with
13-Shot Speedload Clip

60PD0340-422

RECOIL	WEIGHT	LENGTH	VELOCITY	BB CAPACITY
Non-Blowback	590g	215mm	240 Fps	13 rds.



POWERLINE® 415

21 Shot Built-IN BB Magazine

CO₂ powered semi-automatic action

- » Max Shooting Dist. 235yds (215m)
- » Sights Fibre Optic front & Fixed open rear
- » Safety..... Manual trigger block
- » Barrel..... Smooth bore

AIRGUN

STEEL BB 4.5
4.5mm (.177")

CO₂



CODE	RECOIL	WEIGHT	LENGTH	VELOCITY	BB CAPACITY
60PD0415-442	Non-Blowback	421g	218mm	500 fps	21 rds.
60PD5415-242	KIT INCLUDES: Shooting Glasses • 3x12g CO ₂ Cylinders Targets • 350 Count BB Tube				

NO STOCK



POWERLINE® 415



Daisy TAKE PRIDE, IT'S A DAISY.

POWERLINE® 415

FIBER OPTIC SIGHT

CO₂ POWERED

KIT INCLUDES

- Shooting Glasses • 12 gram CO₂ Cylinders (3)
- 350 Count BB tube • Targets

HIGH-POWERED AIRGUN. FOR AGES 16 YEARS OR OLDER.

WARNING: NOT A TOY. ADULT SUPERVISION REQUIRED. NEVER USE CARELESSLY OR MAY CAUSE SERIOUS INJURY OR DEATH. MAY BE DANGEROUS UP TO 215 YARDS (215 METERS).

Maximum Velocity 500 fps
.177 cal. (4.5 mm) steel airgun shot

21-shot BB CO₂ Semi-Automatic
Delivers 21 Rounds in Seconds!

- Fiber Optic Front Sight
- Lower Accessory Rail
- 21-shot Built-in BB Magazine



60PCM45

MK45 BB PISTOL SEMI AUTOMATIC

TIN CANS
"YOUVE BEEN
WARNED"

PERFECT FOR
PLINKING | TARGET SHOOTING
BACKYARD FUN

SPECIFICATIONS

Mechanism	: REPEATER
Power Source	: 12G CO2 CARTRIDGE
CALIBRE	: BB Cal. 4.5mm
Ammunition	: STEEL BBs
CAPACITY	: 20 BB
Weight	: 63 LBS
LENGTH	: 7.2"
BARREL	: Smooth Bore
Sights	: Fibre Optic
Safety	: Selector



UP TO
480
BLAZIN' FEET
PER SECOND

UP TO
146
METERS PER
SECOND

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

60PCC11G

C11 BB PISTOL SEMI AUTOMATIC



146
METERS PER
SECOND

UP TO
480
BLAZIN' FEET
PER SECOND

Mechanism	: REPEATER
Power Source	: 12G CO2 CARTRIDGE
CALIBRE	: BB Cal. 4.5mm
Ammunition	: STEEL BBs
CAPACITY	: 20 BB
Weight	: 0,5 KGS
LENGTH	: 17.5cm
BARREL	: Smooth Bore
Front Sight	: Fixed Blade
Rear Sight	: Fixed Notch
Safety	: Selector



Pneumatic Pump Pistol

Non-Blowback Single Shot



ARTEMIS

LP400



Shooting Mode Pump & Single-shot
 Safety No Safety
 Front Sight Fixed & Metal
 Rear Sight Adjustable up & down, right & left

- Both available for open sights & 22 Picatinny Rail
- Full Metal Gunbody. Simple structure, easy handling & Stability
- Exquisite workmanship & appearance. Light-weight

CODE	AMMO / VELOCITY	RECOIL	WEIGHT	LENGTH MM	TRIGGER PULL
60PALP400	4.5 (300±450fps)	Non-Blowback	0.6kg	245*35*145	0.5-4Lbs
60PALP4005.5	5.5 (260±350fps)				

Killer PTY (LTD)
BRANDS



PISTOLS SECTION by Killer Brands

TARGET SHOOTING



"If you've *thought* of getting *serious* about pistol **marksmanship** or even entering *match competition*, the **Powerline 717 Daisy** is a great way to *start*."

POWERLINE 717

4.5
AVAILABLE IN
SINGLE SHOT

Single Pump Pneumatic Action
Blade and Ramp front sight/open rear with windage and elevation adjustments
Crossbolt trigger block safety
Solid steel barrel safety

Stock/Forearm/Grip

Molded Checkered Wood Grain Contoured thumb rest

CODE	AMMO / VELOCITY	CAPACITY	WEIGHT	LENGTH CM	MAX. SHOOTING DISTANCE	REAR SIGHT
60PD0717-403	4.5 (432fps)	Single Shot	1 kg	34.29	209 Yards	Adjustable



4.5
AVAILABLE IN
SINGLE SHOT
5.5

Power Source	CO ₂ Cartridge (12g)	Main Hand	Ambidextrous
Barrel	Steel / Rifled	Rear Sight	Adjustable
Ammunition	Firing One Shot	Dovetail Rail	11mm
Loading	Barrel		
Stock	Wood		
Material	Alloy		




CO₂



CODE	AMMO	VELOCITY	CAPACITY	COCKING	WEIGHT	LENGTH	ENERGY
60PACP1-M	4.5	545Fps	Single Shot	Bolt Action	1.87lbs	15.35"	6 Joule
60PACP1-M5.5	5.5						

ARTEMIS proposes the CO₂ leisure pistol, very similar to those used in competition. Although it's works due to the 12g CO₂ cartridge, the CP1 develops a great power of 6 Joule, propelling pellets at a velocity of approx. 160 m/s. Ideal for training for accuracy shooting at 10 meter range



PCP ARTEMIS PISTOL

PCP P700SA TARGET SHOOTING



Trigger Adjustable Trigger
Fill Pressure Max. 22MPa Pull, 5Lbf
Airtube Volume 65cc

**RED DOTS AVAILABLE IN THE
60PAPP700SARD +60PAPP700SA5.5RD**

- Capable velocity of 700fps
- Portable PCP pistol only
- 400mm overall length
- 12mm dovetail, optional
- Two stage adjustable trigger
- Consistent valve
- Single shot
- Pendulum Hammer

CODE	AMMO	VELOCITY	CONSISTENT VALVE	WEIGHT	LENGTH MM	RAIL
60PAPP700SA *RED DOT	4.5	0.5g Pellet 700fps not/ less than 30 shots p/fill	YES	0.90kg	400*35*130	12mm Dovetail
60PAPP700SARD 60PAPP700SA5.5 *RED DOT	5.5	1.0g Pellet 600fps not/ less than 20 shots p/fill				
60PAPP700SA5.5RD						

PCP P700W

TARGET SHOOTING

PORTABLE ARTEMIS PCP PISTOL



RED DOT AVAILABLE IN THE 60PAPP700WRD

Capable Velocity of 700 FPS

Portable Artemis PCP pistol. Only 370mm overall length
12mm dovetail rail, optional Two Stage adjustable
trigger. Consistent Valve included single shot

Suppressor Integrated
Trigger Adjustable Trigger 1~5lbs
Fill Pressure MAX .20MPa



CODE	AMMO	VELOCITY	CONSISTENT VALVE	WEIGHT	LENGTH MM	RAIL
60PAPP700W 60PAPP700WRD	4.5	0.5g Pellet 700fps aprox. 40 shots of full power	YES	0.89kg	370*35*130	12mm Dovetail
60PAPP700W5.5	5.5	1.0g Pellet 600fps aprox. 30 shots of full power				



SP500



60PSSP500

4.5mm (.177)



60PSSP5005.5

5.5mm (.22)



SPECIFICATIONS

CALIBER	4.5 (.177) / 5.5 (.22)
VELOCITY	4.5: ≥450FPS / 5.5: ≥350FPS
SAFETY	MANUAL SAFETY
TRIGGER PULL	3 ~ 8.5 LBF
BARREL LENGTH	220mm
STOCK	SYNTHETIC
PACKING	10PCS / CTN
L*W*H(mm)	374*34*150mm
WEIGHT	0.941 KG

CHARACTERISTICS

- * Break barrel pistol
- * High Velocity
- * Manual Safety



-Black-



- Mossy Oak *Camo -



- > Light & Versatile
- > Equipped Magazine & Suppressor
- > Pistol & Rifle can be converted Flexibly
- > A Spare CO₂ Capsule can be put inside the grip

COCKING SYSTEM

BOLT ACTION

SAFETY

YES

SIGHTS

OPEN SIGHTS

MOUNTING RAIL

DOVETAIL (11mm)

STOCK

AMBIDEXTROUS

STOCK MATERIAL

SYNTHETIC

EXTRAS

2 MAGAZINES, SILENCER

POWER SOURCE

CO₂ Cartridge (12g)

ENERGY (Joule / ft.lb)

8.5 / 6.3, 11.5 / 8.5



CODE	VELOCITY PISTOL	VELOCITY M / S	VELOCITY RIFLE	MAG. CAPACITY	WEIGHT	BARREL LENGTH	TOTAL LENGTH
60PACP2B *Black	4.5 ≥ 500fps	Pistol: 183 m/s Rifle: 153 m/s	≥ 600fps	9	Pistol	Pistol:-	Pistol:-
60PACP2C *Camo					925g	210mm	360mm
60PACP2B5.5 *Black	5.5 ≥ 400fps	Pistol: 122 m/s Rifle: 153 m/s	≥ 500fps	7	Rifle	Rifle:-	Rifle:-
60PACP2C5.5 *Camo					1385g	450mm	860mm

66PSCP300

CO2 Charged / Power 11 JOULES



SPECIFICATIONS

- 01. Caliber 12.7mm 02. Magazine 6 shots
- 02. Magazine 6 shots
- 03. Speed 7.5J 04. Trigger Pull 0.5-4Lbf
- 04. Trigger Pull 0.5-4Lbf

- 05. Safety 1-6Lbf 06. Barrel Length 138mm
- 06. Barrel Length 138mm
- 07. L.W.H. 290*175*43mm 08. Weight 0.73kg
- 08. Weight 0.73kg
- 09. Packing 4pcs/ctn



CODE	AMMO	VELOCITY
66MARMTKBR01	0.68Cal	300-350ft

Includes 2x Magazines

CYLINDER WIDTH	4.5cm
POWER SOURCE	CO ₂ Cartridge (12g)
CALIBER	50 / 12.6 mm
EFFECTIVE RANGE	20 meters

PROJECTLE	WEIGHT
Rubber Black	1150g
Rubber Blue	
HEIGHT	LENGTH (L*W*H) CM
15.5cm	28cm * 2.2 * 15.5

KBR01 Magazines

66MARMTKBR01MAG



7cnt tube

66PBJTT


Training Balls



7cnt tube

66PBJTP

Pepper Balls



0.50Cal 1.2g
100x Count
Blue Plastic Balls

66PBM768PLASBU



66PBJTR

100x Count
Black Rubber Balls